

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1      Date of compilation: 1/03/2024

Page 1 of 10  
Print date: 01/03/2024

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: IMPREGNANTE AL AGUA UNIVERSAL 20KG  
Product Code: NWEF149861B+20

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Not available.

#### 1.3 Details of the supplier of the safety data sheet.

Company: **INDUSTRIAS QUÍMICAS NOVALK S.L.**  
Address: P. EMP. PRINCIPE FELIPE, C/HUESCA, 5  
City: 14900 - LUCENA  
Province: CORDOBA  
Telephone: 957509829  
E-mail: [compras@novalk.es](mailto:compras@novalk.es)  
Web: [www.novalk.es](http://www.novalk.es)

#### 1.4 Emergency telephone number: INTyCF: 915624420 (Available 24 hours)

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects.  
Eye Irrit. 2 : Causes serious eye irritation.  
Skin Irrit. 2 : Causes skin irritation.

#### 2.2 Label elements.

##### Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

**Warning**

Hazard statements:

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see ... on this label).  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents/container to ...

EUH statements:

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1      Date of compilation: 1/03/2024

Page 2 of 10  
Print date: 01/03/2024

EUH208      Contains 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one. May produce an allergic reaction.

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.  
The mixture does not contain substances classified as vPvB.  
The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| Identifiers                                                                                               | Name                                                                                  | Concentrate  | (*)Classification - Regulation (EC)<br>No 1272/2008                                                        |                                                                         |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
|                                                                                                           |                                                                                       |              | Classification                                                                                             | Specifics<br>concentration<br>limits and Acute<br>toxicity estimate     |
| Index No: 030-013-00-7<br>CAS No: 1314-13-2<br>EC No: 215-222-5<br>Registration No: 01-2119463881-32-XXXX | zinc oxide                                                                            | 0.25 - 2.5 % | Aquatic Acute 1, H400 -<br>Aquatic Chronic 1, H410                                                         | -                                                                       |
| CAS No: 34590-94-8<br>EC No: 252-104-2<br>Registration No: 01-2119450011-60-XXXX                          | [1] (2-methoxymethylethoxy)propanol                                                   | 0 - 2.5 %    | -                                                                                                          | -                                                                       |
| Index No: 603-096-00-8<br>CAS No: 112-34-5<br>EC No: 203-961-6<br>Registration No: 01-2119475104-44-XXXX  | [1] 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether                      | 1 - 10 %     | Eye Irrit. 2, H319                                                                                         | -                                                                       |
| CAS No: 69029-43-2                                                                                        | Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, ammonium salt | 1 - 3 %      | Eye Dam. 1, H318 - Skin Corr. 1C, H314                                                                     | -                                                                       |
| Index No: 603-014-00-0<br>CAS No: 111-76-2<br>EC No: 203-905-0<br>Registration No: 01-2119475108-36-XXXX  | [1] 2-butoxyethanol, ethylene glycol monobutyl ether                                  | 0 - 10 %     | Acute Tox. 3, H331 - Acute Tox. 4, H302 - Eye Irrit. 2, H319 - Skin Irrit. 2, H315                         | Inhalation: ETA = 3 mg/l (ATP 18)<br>Oral: ETA = 1200 mg/kg pc (ATP 18) |
| Index No: 613-088-00-6<br>CAS No: 2634-33-5<br>EC No: 220-120-9<br>Registration No: 01-2120761540-60-XXXX | 1,2-benzisothiazol-3(2H)-one,1,2-benzisothiazolin-3-one                               | 0 - 0.05 %   | Acute Tox. 4 *, H302 - Aquatic Acute 1, H400 - Eye Dam. 1, H318 - Skin Irrit. 2, H315 - Skin Sens. 1, H317 | Skin Sens. 1, H317: C ≥ 0,05 %                                          |

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

\* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a European Union exposure limit in the workplace (see section 8.1).

[2] Substance with a national workplace exposure limit (see section 8.1).

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1      Date of compilation: 1/03/2024

Page 3 of 10  
Print date: 01/03/2024

### SECTION 4: FIRST AID MEASURES.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

### SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

#### 5.1 Extinguishing media.

##### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

##### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

##### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### SECTION 6: ACCIDENTAL RELEASE MEASURES.

#### 6.1 Personal precautions, protective equipment and emergency procedures.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1 Date of compilation: 1/03/2024

Page 4 of 10  
Print date: 01/03/2024

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## SECTION 7: HANDLING AND STORAGE.

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

Not available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### 8.1 Control parameters.

Work exposure limit for:

| Name                                                         | CAS No.    | Country            | Limit value | ppm       | mg/m <sup>3</sup> |
|--------------------------------------------------------------|------------|--------------------|-------------|-----------|-------------------|
| (2-methoxymethylethoxy)propanol                              | 34590-94-8 | European Union [1] | Eight hours | 50 (skin) | 308 (skin)        |
|                                                              |            |                    | Short term  |           |                   |
| 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether | 112-34-5   | European Union [1] | Eight hours | 10        | 67,5              |
|                                                              |            |                    | Short term  | 15        | 101,2             |
| 2-butoxyethanol, ethylene glycol monobutyl ether             | 111-76-2   | European Union [1] | Eight hours | 20 (skin) | 98 (skin)         |
|                                                              |            |                    | Short term  | 50 (skin) | 246 (skin)        |

[1] According both Binding Occupational Exposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

| Name                                                | DNEL/DMEL         | Type                                  | Value                  |
|-----------------------------------------------------|-------------------|---------------------------------------|------------------------|
| zinc oxide<br>CAS No: 1314-13-2<br>EC No: 215-222-5 | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 5 (mg/m <sup>3</sup> ) |

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1 Date of compilation: 1/03/2024

Page 5 of 10  
Print date: 01/03/2024

|                                                                                                      |                   |                                       |                              |
|------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|------------------------------|
| 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether<br>CAS No: 112-34-5<br>EC No: 203-961-6 | DNEL<br>(Workers) | Inhalation, Chronic, Local effects    | 67,5<br>(mg/m <sup>3</sup> ) |
|                                                                                                      | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 67,5<br>(mg/m <sup>3</sup> ) |
| 2-butoxyethanol, ethylene glycol monobutyl ether<br>CAS No: 111-76-2<br>EC No: 203-905-0             | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 98<br>(mg/m <sup>3</sup> )   |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

|                                                                                                      |                                                                                                                                          |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Concentration:</b>                                                                                | <b>100 %</b>                                                                                                                             |
| <b>Uses:</b>                                                                                         |                                                                                                                                          |
| <b>Breathing protection:</b>                                                                         |                                                                                                                                          |
| If the recommended technical measures are observed, no individual protection equipment is necessary. |                                                                                                                                          |
| <b>Hand protection:</b>                                                                              |                                                                                                                                          |
| If the product is handled correctly, no individual protection equipment is necessary.                |                                                                                                                                          |
| <b>Eye protection:</b>                                                                               |                                                                                                                                          |
| If the product is handled correctly, no individual protection equipment is necessary.                |                                                                                                                                          |
| <b>Skin protection:</b>                                                                              |                                                                                                                                          |
| PPE:                                                                                                 | Work footwear.                                                                                                                           |
| Characteristics:                                                                                     | «CE» marking, category II.                                                                                                               |
| CEN standards:                                                                                       | EN ISO 13287, EN 20347                                                                                                                   |
| Maintenance:                                                                                         | This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. |
| Observations:                                                                                        | Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident  |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Not applicable/Not available due to the nature/properties of the product

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: Not applicable/Not available due to the nature/properties of the product

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: Not applicable/Not available due to the nature/properties of the product

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1      Date of compilation: 1/03/2024

Page 6 of 10  
Print date: 01/03/2024

### 9.2 Other information

Not applicable/Not available due to the nature/properties of the product

## SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

### 10.4 Conditions to avoid.

Avoid any improper handling.

### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## SECTION 11: TOXICOLOGICAL INFORMATION.

2-butoxyethanol and its acetate are easily absorbed by the skin and can cause noxious effects to the kidneys.

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Based on available data, the classification criteria are not met.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1 Date of compilation: 1/03/2024

Page 7 of 10  
Print date: 01/03/2024

i) STOT-repeated exposure;  
Not conclusive data for classification.

j) aspiration hazard;  
Not conclusive data for classification.

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

| Name                                                                                              | Bioaccumulation |     |       |          |
|---------------------------------------------------------------------------------------------------|-----------------|-----|-------|----------|
|                                                                                                   | Log Pow         | BCF | NOECs | Level    |
| 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether<br>CAS No: 112-34-5 EC No: 203-961-6 | 0,56            | -   | -     | Very low |
| 2-butoxyethanol, ethylene glycol monobutyl ether<br>CAS No: 111-76-2 EC No: 203-905-0             | 0,8             | -   | -     | Very low |

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1      Date of compilation: 1/03/2024

Page 8 of 10  
Print date: 01/03/2024

### SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number or ID number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

#### 14.3 Transport hazard class(es).

Transportation is not dangerous.

#### 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

#### 14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

### SECTION 15: REGULATORY INFORMATION.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Volatile organic compound (VOC)

VOC content (p/p): 3,409 %

VOC content: 32,521 g/l

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

| Designation of the substance, of the group of substances or of the mixture                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Conditions of restriction                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3. Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:<br>(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;<br>(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;<br>(c) hazard class 4.1;<br>(d) hazard class 5.1. | 1. Shall not be used in:<br>- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,<br>- tricks and jokes,<br>- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,<br>2. Articles not complying with paragraph 1 shall not be placed on the market.<br>3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:<br>- can be used as fuel in decorative oil lamps for supply to the general public, and,<br>- present an aspiration hazard and are labelled with H304,<br>4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil |

-Continued on next page.-



# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1      Date of compilation: 1/03/2024

Page 9 of 10  
Print date: 01/03/2024

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).</p> <p>5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:</p> <p>(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';</p> <p>(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';</p> <p>(c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.</p> <p>.</p> |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 15.2 Chemical safety assessment.

The supplier has carried out a Chemical Safety Assessment for the substance/mixture.

## SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

|      |                                                       |
|------|-------------------------------------------------------|
| H302 | Harmful if swallowed.                                 |
| H314 | Causes severe skin burns and eye damage.              |
| H315 | Causes skin irritation.                               |
| H317 | May cause an allergic skin reaction.                  |
| H318 | Causes serious eye damage.                            |
| H319 | Causes serious eye irritation.                        |
| H331 | Toxic if inhaled.                                     |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |

Classification codes:

Acute Tox. 3 : Acute toxicity (Inhalation), Category 3  
Acute Tox. 4 : Acute toxicity (Oral), Category 4  
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1  
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1  
Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3  
Eye Dam. 1 : Serious eye damage, Category 1  
Eye Irrit. 2 : Eye irritation, Category 2  
Skin Corr. 1C : Skin Corrosive, Category 1C  
Skin Irrit. 2 : Skin irritant, Category 2  
Skin Sens. 1 : Skin sensitiser, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                       |                       |
|-----------------------|-----------------------|
| Physical hazards      | On basis of test data |
| Health hazards        | Calculation method    |
| Environmental hazards | Calculation method    |

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF:      Bioconcentration factor.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## NWEF149861B+ 20-IMPREGNANTE AL AGUA UNIVERSAL 20KG

Version 1      Date of compilation: 1/03/2024

Page 10 of 10  
Print date: 01/03/2024

CEN: European Committee for Standardization.  
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.  
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.  
EC50: Half maximal effective concentration.  
PPE: Personal protection equipment.  
LC50: Lethal concentration, 50%.  
LD50: Lethal dose, 50%.  
NOEC: No observed effect concentration.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.